

SCHALTPLAN




KBS Gastrotechnik GmbH – Schoßbergstraße 26 – 65201 Wiesbaden

DIS.N. CR0791340
 DATA -
 MOD. -

SCHEMA EL.IRRAGGIAMENTO TOP 700

DESCRIZIONE MODIFICA	DATA	FIRMA	MOD.
PRIMA EMISSIONE	26.07.10	NARDINI	
AGGIUNTI MODELLI BA	23.01.13	GANDINI	
AGGIUNTI (N) (D) (Q)	08.05.18	NARDINI	



Mod	NV74EC (N)ECV72T (D)72/10 TVTC (Q)70PC../VCE400 (N)ECV72A (D)72/10 VTC (N)ECV72G
P(KW)	5.0
I(A)	10.9 18.8 21.7
U(V)	380-415V 3N~ 220-240V 3~ 230V~
f(Hz)	50-60
Cable	5G1.5mm ² 4G2.5mm ² 3G2.5mm ²

- B1 REGOLATORE ENERGIA REGULATORE ENERGIE ENERGY CONTROL SIMMERSTAT
- H1 SPIA ARANCIO LAMPE ORANGE ORANGE PILOTLIGHT ORANGE LAMPE
- H2 SPIA CALORE RESIDUO SIGNALISATION CHALEUR RESIDUELLE RESIDUAL HEATING INDICATION RESTWAERMEANZEIGE
- MA MORSETTIERA ARRIVO LINEA BORNES ARRIVEE LIGNE TERMINAL BLOCK ANSCHLUSSKLEMME
- R1-R2 RESISTENZA RESISTANCE HEATING ELEMENT HEIZKORPER
- Z1 FILTRO ANTIDISTURBO FILTRE ANTI PARASITE' SUPPRESSION FILTER FUNKENTSTOERFILTER

Mod	NV78EC	(N)ECV74T (N)ECV74A (N)ECV74G	(D)74/10 TVTC (D)74/10 VTC (Q)70PC../VCE800
P(KW)	10.0		
I(A)	21.7	28.8	
U(V)	380-415V 3N~	220-240V 3~	
f(Hz)	50-60		
Cable	5G2.5mm ²	4G4mm ²	

