


SCHALTPLAN




KBS Gastrotechnik GmbH – Schoßbergstraße 26 – 65201 Wiesbaden



Mod	NI98E NI98TE	NI119E (N)ECI94 (N)ECI94_ (D)94/10 CI (D)94/10 _CI 90PC/IND800 90PC_/_/IND800	NI78E NI78TE (N)ECI74 (N)ECI74_ (D)74/10 CI (D)74/10 _CI 70PC/IND800 70PC_/_/IND800
P(kW)	20		14
I(A)	30.6		21.5
U(V)		400V 3~	
f(Hz)		50/60	
Cable		4G6mm²	




CONNESSIONE SONDA TEMPERATURA TEMPERATURE SENSOR CONNECTION	CONNESSIONE INDUTTORE INDUCTION CONNECTOR
-Lunghezza spelatura : -Stripping lenght : 8mm	-Lunghezza spelatura : -Stripping lenght : 12mm
-Non usare capicorda sui trefoli -Do not use end sleeves for strand	-Non usare capicorda sui trefoli -Do not use end sleeves for strand



Mod	NI94E NI94TE	NI11C9E NI114E (N)ECI92 (N)ECI92_ (D)92/10 CI (D)92/10 _CI 90PC/IND400 90PC_/_/IND400	NI74E NI74TE (N)ECI72 (N)ECI72_ (D)72/10 CI (D)72/10 _CI 70PC/IND400 70PC_/_/IND400	DROP IN NI74TED DPCI40 DPCI40 DI7PCIND400
P(kW)	10		7	
I(A)	15.3		10.7	
U(V)		400V 3~		
f(Hz)		50/60		
Cable		4G2.5mm²		



SOLO VERSIONI DROP-IN ONLY DROP-IN MODELS




ref		
A1	Lin-Knob	Lin-Knob
H1, H2	12V DC Lamps	Spie 12V DC
L1-L4	Flat Electromagnetic Coil	Avvolgimento piatto
P1	Induction generator	Generatore di induzione
X1	Terminal PE	Connettore PE
X2	Mains terminal	Terminale arrivolinea

	00	PRIMA EMISSIONE	08/09/2016	MARTINI
17070	01	AGGIUNTO MODELLI DROP IN 70	20/04/2017	NARDINI
	02	a) AGGIUNTO CODICI APPARECCHIATURE PASSANTI	04/11/2017	MARTINI
18037	03	AGGIUNTO (Q)	08/05/2018	NARDINI
Rif	Rev	Description	Date	Author

Code	CR0738011			Drawing Description	SCHEMA COLLEGAMENTO APP.INDUZIONE QUAD+ LIN-KNOB		Rev.
Author	MARTINI			Document Type	SCHEMA ELETTRICO		05
Date	05/09/2016				This document is exclusive property of ALI S.p.A. and should not be distributed, reproduced, into any other format without prior permission of ALI S.p.A. - Specifications subject to change without prior notice -		Description

Mod	NIW74TE NIW94TE	(N)ECIW72_ (N)ECIW92_	(D)92/10 TCIW (D)72/10 TCIW (D)92/10 GCIW (D)72/10 GCIW	(Q)90PC/WOK400 (Q)90PC_/WOK400 (Q)70PC/WOK400 (Q)70PC_/WOK400	NIW94TE2 NIW74TE2
	NIW74TED	DPCW40	DPCWI40	DI7PCWI400	
P(kW)	5				
I(A)	7.2				12.6
U(V)	400V 3~				230V 3~
f(Hz)	50/60				
Cable	4G1.5mm ²				


ref		
A1	Lin-Knob	Lin-Knob
H1, H2	12V DC Lamps	Spie 12V DC
L1	Wok Electromagnetic Coil	Bobina Wok
P1	Induction generator	Generatore di induzione
X1	Terminal PE	Connettore PE
X2	Mains terminal	Terminale arrivolinea



DROP IN

VARIO ATICS

P1



Rif	Rev	Description	Date	Author
	00	PRIMA EMISSIONE	08/09/2016	MARTINI
17070	01	AGGIUNTO MODELLI DROP IN 70	04/12/2017	NARDINI
18037	02	AGGIUNTO (Q)	08/05/2018	NARDINI

Code	CR0841651			Drawing Description	Rev.
Author	MARTINI			SCHEMA COLLEGAMENTO APP.INDUZIONE ATICS LIN-KNOB	02
Date	04/12/2017			Document Type	Description
			SCHEMA ELETTRICO	Document Status	



This document is exclusive property of ALI S.p.A. and should not be distributed, reproduced, into any other format without prior permission of ALI S.p.A. - Specifications subject to change without prior notice -