TECHNISCHE DOKUMENTATION



KBS Gastrotechnik GmbH – Schoßbergstraße 26 – 65201 Wiesbaden



Total Food Service Solutions

Oriental Cooking - Wok Range Gas - Wok Euro Line NGER 15-60



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Gas wok with three burners, each with a power rate of 11.5/13 kW (LPG/LNG). Compact design with a depth of 600 mm. Due to the versatile usage as a wok unit, open burner or pot cooker, it is suitable for various methods of Oriental and Western cooking.

This wok is the perfect choice for any kitchen with a smaller footprint.

Made of stainless steel AISI 304 with a deep-drawn 3.2 mm strong, reinforced top panel, burner with a cast iron potholder and a stainless steel wok ring. Equipped with a drawer below each burner to collect grease, food debris and spillages for easy cleaning and enhanced hygienic.

OTHER AVAILABLE MODELS

- NGER 4-60
- NGER 9-60
- NGER 20-60

MAIN FEATURES

- Three atmospheric burners with a power rate of 11.5/13 kW (LPG/LNG) each.
- Cast iron potholder.
- · Manual ignition.
- Equipped with pilot burners, safety thermocouples, gas valves and gas control knobs.
- Grease/food debris collection drawer below each burner.
- Suitable for wok-pan sizes Ø 14-18" (355-457 mm) and for pan sizes Ø 7-9" (178-230 mm).
- · CE certified unit.

CONSTRUCTION

- Sturdy frame made of stainless steel AISI 430.
- Deep drawn, reinforced stainless steel top panel (3.2 mm), AISI 304 with hairline surface pattern.
- Front and side panels made of stainless steel AISI 304 with hairline surface pattern (1.0 mm).
- Backsplash made of stainless steel AISI 304 with hairline surface pattern (1.0 mm).
- Tubular, height adjustable (±25 mm) stainless steel legs.
- · Type of installation: free standing.
- Frame, top and panels, all made of high-grade stainless steel.

INCLUDED ACCESSORIES

• Stainless steel wok ring Ø 290 mm (3 pcs).

OPTIONAL ACCESSORIES

N/A

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.



FRONT

External Dimensions

Width : 1500 mm Depth : 600 mm Height : 850/950 mm

Cooking Surface

Wok burners : 3 x Ø 280 mm

Soup burners : N/A

Gas Power Rating

Heat input total : LPG 34.5 kW, LNG 39 kW

No. of burners : 3

Control type : High-low power control

Gas type options: LPG G30, G31

LNG G20, G25

Connections

Gas : DN 20 (3/4")

Water : N/A Drain : N/A

Heat & Steam Emissions

Direct heat emission : LPG 8.62 kW , LNG 9.75 kW Latent heat emission : LPG 5.18 kW , LNG 5.85 kW Steam emission : LPG 9.14 kg/h, LNG 10.34


kg/h

PACKAGING DATA

Width : 1530 mm Depth : 630 mm Height : 545 mm Volume : 0.53 m³

WEIGHT


Net Weight : 85 kg **Gross Weight** : 111 kg



1500

SIDE

TOP



*Overall dimension in mm

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions. 13/10/2020