TECHNISCHE DOKUMENTATION



KBS Gastrotechnik GmbH – Schoßbergstraße 26 – 65201 Wiesbaden



Total Food Service Solutions

Oriental Cooking - Teppanyaki Griddle Gas - Teppanyaki TP TP-JG 15/G P



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Gas Teppanyaki Griddle with uniform heating and accurate temperature control for superior hibachi-style cooking.

Three, individually controlled heating zones energized by high-performance, atmospheric burners with a total of 21 kW power rate. The griddles are made of 20 mm thick, highly polished S355JR steel, which are designed to withstand the daily use of knives and spatulas.

Mounted on a sturdy stainless steel construction with height adjustable legs. The removable top frame for the griddle and the large capacity grease container guarantees an excellent hygienic level.

OTHER AVAILABLE MODELS

- TP-JG 12/G P
- TP-JG 12/G
- TP-JG 15/G

MAIN FEATURES

- High-performance atmospheric burners with a total power rate of 21 kW.
- Three, individually controlled heating zones.
- · Piezo ignition.
- Equipped with pilot burners, safety thermocouples, gas valves, gas knobs.
- Griddle plate, made of 20 mm polished S355 JR steel.
- Rectangular drain with a large stainless steel container to collect grease/ food debris.
- Hand-/condiment rail which accepts various numbers of GN 1/9 containers.
- · CE certified unit.

CONSTRUCTION

- Sturdy frame, made of stainless steel AISI 430.
- Stainless steel top panel (1.5 mm), AISI 304 with orbital surface pattern.
- Front and side panels (1.0 mm) made of stainless steel AISI 304 with hairline surface pattern.
- Back panel (1.0 mm) made of stainless steel AISI 304 with hairline surface pattern.
- · Height adjustable stainless steel legs.
- Types of installations: table-top.
- Frame, top and panels, all made of high-grade stainless steel.

INCLUDED ACCESSORIES

N/A

OPTIONAL ACCESSORIES

N/A


PT. NAYATI INDONESIA

www.nayati.com


Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.




FRONT



TOP



SIDE



*Overall dimension in mm

TECHNICAL DATA **External Dimensions**

Width : 1440 mm : 770/895 mm Depth Height : 450 mm

Cooking Surface

Cooking zones : 1200 x 550 mm

Gas Power Rating

Heat input total : LPG/LNG 21 kW

No. of burners : 3

Control type : Modulating temperature control

Gas type options : LPG G30, G31

LNG G20, G25

Connections

Gas : DN 20 (3/4")

Water : N/A : N/A Drain

Heat & Steam Emissions

Direct heat emission : LPG/LNG 7.35 kW Latent heat emission : LPG/LNG 8.40 kW Steam emission : LPG/LNG 12.34 kg/h

PACKAGING DATA

Width : 1470 mm Depth : 925 mm Height : 570 mm Volume : 0.78 m³

WEIGHT

Net Weight : 193 kg **Gross Weight** : 239 kg

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions. 02/10/2020 Oriental Cooking - Teppanyaki Griddle