

EXPLOSIONSZEICHNUNG



KBS Gastrotechnik GmbH – Schoßbergstraße 26 – 65201 Wiesbaden

YSD-1AE PART LIST

S/N	Description (English)	Material	Specification	Part Code	Unit QTY
1	Door lower cross beam	SUS 304 1.0mm	570*44*1.0mm	802005013001	1
2	Outer toughened glass	Tempered Glass	448*577*5mm	70201005337L	1
3	Screw	SS	M4*8		4
4	Door side plate	SUS 304 0.8mm	516.5*108.5*0.8		2
5	Door hinge	Zinc Alloy		70200402637	2
6	Screw	SS	M5*8		2
7	Door Handle End	Bakelite		70200700164	2
8	Inner toughened glass	Tempered Glass	492*442*5mm	70201000237	1
9	Screw	SS	M4*8		8
10	Thermostat knob for back heating elements	Bakelite	φ70	70101100346	1
11	Thermostat knob base for back heating elements	Bakelite	φ51	70101100228	1
12	Timer indicator		220V/φ 13, Green	70101300137	1
13	Indicator(heating elements)		220V/φ 13, Green	70101300155	1
14	Timer knob	Bakelite	φ40	70101100373	1
15	Timer knob base	Bakelite	φ51	70101100200	1
16	Board	201	590*188*1mm		1
17	Bottom board	Aluminized 1.0mm	590*568*1mm		1
18	Timer(120min)		0-120MIN ,16A	70101200119	1
19	Foot	Bakelite		70200900228	4
20	Cross round head screw	SS	M4*8		20
21	Power cord jacket			70100700782	1
22	Power cord	UK PLUG	3*1.5mm2	70100500064	3,5
23	Temperature limiter (360℃)		360℃ 230V16A	70100301982L	1
24	Grounding bolt	Copper	M6*20		1
25	Thermostat (300℃)		50~300℃	70100300200	1
26	Bracket for inner chamber	SS		70201100355	2
27	Inner chamber	Enameled			1
28	Mounting bracket for hinge	Zinc Alloy		70200402664	2
29	Cross round head screw	SS	M5*10		7
30	Back insulation cotton	Aluminum silicated			1
31	Insulation cotton	Aluminum silicated			1
32	Shell	SS			1
33	Back board	Aluminized 1.0mm	590*490*1mm		1
34	Motor		230V/50Hz 50W	70100101319	2

35	Door Seal	Silicone		70200200555	1
36	Illuminator holder		220V	70101300382	1
37	Illuminator		230V/15W	70101300482	1
38	Glass chimney				1
39	Heating element	SS	230V/50Hz 1.26KW	70100400946	2
40	Locking screw for shelf	SS	M5*12	70202007282	2
41	Fan blade				2
42	Locking screw for fan blade	SS	M5		2
43	Air deflector			802005003004	1
44	Shelf	SS	370*245mm	70201100455	2
45	Upper cross beam	SUS 304 1.0mm	538*46*1.0mm		1
46	Door Handle	SS	∅ 19*454*0.8	802005003001	1
47	Locking screw for door handle	SS	M5*25		2



